

#### **AUSSIE CHUTES HIRE & SALES**

30/218 Wisemans Ferry Rd Somersby NSW 2250 Freecall 1800 023 523 Mobile 0417 210 415 ABN 40 424 920 966

www.aussiechutes.com.au

#### PRODUCT DATA SHEET

# Large Side Entry Hopper

#### **PRIMARY APPLICATIONS**

For use when multiple entry points are required along the drop of the chute.

Most suited for multi-level work sites.

Types of debris include:

- · tiles
- · bricks
- gyprock
- $\cdot$  waste to be loaded with buckets / shovel / by hand

#### **FEATURES/BENEFITS**

· Large Diameter

· 4 point scaffold attachment

· Highly durable

· 30° hopper angle

· Lightweight

· Side loading


· Connected by chains · Stackable


· Lockable door with "Danger: Chute Closed" sign

· Top lid & removable liners available



#### **TECHNICAL INFORMATION**





#### **TECHNICAL INFORMATION**

Material: Ultra High Molecular Weight (UHMW) Polyethylene UV stabilised

Fabricated Aluminium loading hopper with mild steel brackets and chains.

3100mm

Thickness: 6mm
Total weight per loading hopper: 30kg

Total weight per kit suitable for one (1) floor: 60kg (including chain and scaffold brackets)

Total effective length per loading hopper: 1500mm


Total effective length per kit suitable for one (1) floor: 3100mm

### INSTALLED AS PART OF KIT SUITABLE FOR ONE (1) FLOOR



## **EXAMPLE INSTALLATIONS**

# Mounted on Scaffold



Large Side Loading Hoppers

# Mounted on Slab

